Cite as: Idowu BM, Ayoola OO, Adetiloye VA, Komolafe MA, Afolabi BI: Sonographic detection of inferior subluxation in post-stroke hemiplegic shoulders. J Ultrason 2017; 17: 106-112.

Submitted: 29.11.2016 Accepted: 14.03.2017 Published: 30.06.2017

Keywords

stroke, hemiplegia, shoulder subluxation, ultrasonography, acromion-greater tuberosity distance

Sonographic detection of inferior subluxation in post-stroke hemiplegic shoulders

Bukunmi M. Idowu¹, Oluwagbemiga O. Ayoola¹, Victor A. Adetiloye¹, Morenikeji A. Komolafe², Babalola I. Afolabi¹

¹ Departments of Radiology, Obafemi Awolowo University Teaching Hospitals Complex, Ile-Ife, Osun State, Nigeria

² Internal Medicine, Obafemi Awolowo University Teaching Hospitals Complex, Ile-Ife, Osun State, Nigeria

Correspondence: Dr. Bukunmi M. Idowu, Department of Radiology, Obafemi Awolowo University Teaching Hospitals Complex, Ile-Ife, Osun State, Nigeria, tel.: +234 803 2164 229, e-mail: ibmcontacts@gmail.com

DOI: 10.15557/JoU.2017.0015

Abstract

Aim of the study: To evaluate the usefulness of ultrasonographic acromion-greater tuberosity distance measurement and Shoulder ratio in detecting post-stroke inferior shoulder subluxation. Material and methods: Forty-five hemiplegic stroke patients and 45 controls underwent shoulder sonography to measure their acromion-greater tuberosity distance. Side-to-side acromion-greater tuberosity distance differences and Shoulder ratios were derived from the acromion-greater tuberosity distance values. The long head of biceps tendon, subscapularis tendon, supraspinatus tendon, and the infraspinatus tendon were also evaluated to exclude full thickness tendon tears. Data were analyzed using the Statistical Package for Social Sciences version 20.0 for windows. Normality of data distribution was checked using the Kolmogorov-Smirnov test. Mann-Whitney U test and Chi-square tests were utilized. Results: Hemiplegic and control shoulders' acromion-greater tuberosity distance values were 2.8 ± 0.6 cm and 2.4 ± 0.4 cm, respectively (p = 0.001). Hemiplegic and control shoulder ratios were 1.3 \pm 0.3 and 1.1 ± 0.1 , respectively; p < 0.001. Point biserial correlation showed that the presence of subluxation correlated moderately with higher shoulder ratios in all the hemiplegics ($r_{pb} = 0.520$; p < 0.001). Conclusion: Our results suggest that acromion-greater tuberosity distance measurement is useful for detecting inferior shoulder subluxation. Shoulder ratio may be of complementary or supplemental value to acromion-greater tuberosity distance difference.

Introduction

Hemiplegia is a devastating/debilitating complication of stroke. The hemiplegic limb usually progresses through the stages of flaccidity, spasticity and synergy, but these stages may also occur simultaneously in the affected limb⁽¹⁾. Glenohumeral subluxation (GHS) most commonly occurs in the flaccid stage – a stage marked by areflexia, atonia, and the loss of volitional activity⁽¹⁾.

GHS has been variably defined as "increased translation of the humeral head relative to the glenoid fossa"⁽²⁾ or as "each non-traumatic, partial or total change of relationship between the scapula and the humerus in all directions and in all planes, as compared with the non-affected shoulder, that appeared after stroke"⁽³⁾ or as "a partial or incomplete dislocation that usually stems from changes in the mechanical integrity of the joint" ⁽⁴⁾. Inferior, superior, anterior, and posterior types of GHS have been described^(3,4).

When present, early and accurate detection/treatment of GHS is crucial to the rehabilitation of the affected limb. Neglected GHS may become irremediable in the long term. Furthermore, the presence of GHS often constitutes a stumbling block to rehabilitation because it impairs normal shoulder function, prolongs hospital stay, and has adverse psychological effects⁽⁵⁾. GHS has also been implicated as a contributory factor to hemiplegic shoulder pain⁽³⁾.

Finger-breadth palpation, anthropometry with caliper/tape measure, anthropometry with thermoplastic jig, and plain radiography (qualitative and quantitative methods) are established methods of diagnosing GHS^(3,6). However, these methods have significant limitations including suboptimal capacity for early detection and use of ionizing radiation^(6,7).

The use of shoulder ultrasound (USS) for detecting GHS in post-stroke hemiplegic shoulders may be a way to overcome these limitations. Ultrasonographic measurement of acromion-greater tuberosity distance (AGTD) has been employed for assessing post-stroke inferior GHS as it is a fairly good reflection of the changes described in the first definition of subluxation above^(6,8-12).

The purpose of this study is to evaluate the usefulness of AGTD and shoulder ratio for detecting subluxation in post-stroke hemiplegic shoulders.

Material and methods

This was a prospective, case-control study approved by the Ethics and Research Committee of our institution. Conscious, first-time stroke patients with hemiplegia were included in the study. Patients with previous or current shoulder trauma, cervical disk disease, glenohumeral osteoarthritis, inflammatory arthritis, adhesive capsulitis, and full-thickness rotator cuff tears were excluded. Forty-five hemiplegic subjects and 45 age- and sex-matched controls were enrolled.

The unaffected/contralateral/ non-hemiplegic upper limbs of the stroke patients served as the primary control while age- and sex-matched, asymptomatic, non-hemiplegic volunteers aged ≥40 years served as secondary controls. The secondary controls were without previous history of shoulder trauma. Informed consent was obtained from all the participants.

Stroke was diagnosed based on clinical and neuroradiological findings. Data regarding age, gender, hemiplegic side, time from the onset of stroke (stroke duration), and stroke type (ischemic or hemorrhagic) were collected.

The motor status of the shoulder girdle was assessed using the Medical Research Council (MRC) scale as follows⁽⁶⁾:

- Grade 5 Normal power, moves against full resistance;
- Grade 4 Reduced power but can move against gravity and resistance;
- Grade 3 Active movement against gravity;
- Grade 2 Active movement with gravity eliminated;
- Grade 1 Flicker or trace of contraction/movement;
- Grade 0 No contraction/movement.

Using the MRC scores, the hemiplegic shoulders were grouped into poor motor status (score = 0-2) and good motor status (score = 3-5).

Shoulder sonography was performed prior to commencement of physical rehabilitation; within 3 weeks of stroke with hemiplegia. Shoulder sonography for subluxation was performed by the first author (who was blinded to the subjects' clinical status and has 3 years' experience with shoulder sonography) with a 7-12 MHz transducer of MINDRAY® ultrasound machine DC-7 (Shenzhen Mindray Bio-medical Electronics, Nanshan, Shenzhen, China) using the protocol described by Kumar *et al.*⁽¹⁰⁾ The shoulder subluxation distance was measured by determining the Acromion-Greater Tuberosity Distance (AGTD) (6-11). The subject was seated with their hips and knees flexed to 90° and feet resting flat on the ground. The shoulder was in neutral rotation, with the elbow at 90° of flexion and forearm in pronation. The forearms were rested on a pillow (placed on the patient's lap), but the elbow itself remained unsupported to ensure that the shoulder girdle was not elevated (Fig 1)⁽¹⁰⁾. Once in this position, the lateral border of the acromion was palpated, and the ultrasonographic transducer head placed over the acromion along the vertical/longitudinal axis of the humerus to scan the shoulder. These two bony reference points



Fig. 1. Patient and probe positioning for measuring the Acromion – Greater Tuberosity Distance (AGTD)

were then identified on the frozen image, and the AGTD measured from the lateral edge of the acromion process of scapula to the nearest margin of the superior part of greater tuberosity of the humerus (Fig 2)⁽¹⁰⁾. A dark linear acoustic shadow beneath the acromion helped to identify its lateral edge. The hyperechoic appearance of the supraspinatus tendon at its insertion site helped in identifying the greater tuberosity⁽¹⁰⁾. Sonographic measurements were obtained once. AGTD for shoulder subluxation was interpreted relative to the contralateral shoulder. The previously reported range of AGTD difference between normal shoulders is 0 – 0.36 cm⁽¹³⁾. Therefore, AGTD difference between to indicate presence of subluxation⁽¹³⁾.

Shoulder subluxation ratio was also determined as the ratio of the AGTD measurement in the hemiplegic shoulder divided by that of the unaffected shoulder of the stroke patients⁽⁶⁾. In the controls, the corresponding ratio was obtained by dividing the larger AGTD measurement by the smaller.

The long head of biceps tendon (LHBT), subscapularis (SCT) tendon, supraspinatus (SST) tendon, and the infraspinatus tendon (IST) were also evaluated to exclude full thickness tendon tears.

Statistical Package for Social Sciences (SPSS Inc., Chicago, IL, USA) software, version 20.0 for win-



Fig. 2. Corresponding sonographic image showing the Acromion – greater tuberosity distance (AGTD) measurement (between cursors)

dows was used for analysis. Normality of data distribution was checked using the Kolmogorov-Smirnov test. Scheffe post-hoc analysis was used to detect intergroup differences. Point biserial correlation was used to assess the relationship between shoulder ratio and the presence of subluxation. The intrarater reliability of ultrasonographic measurements of AGTD was assessed using intraclass correlation coefficients (ICC) with 95% confidence intervals. The standard error of measurement (SEM) was further used to define the 95% confidence limits of each measurement. A *p* value <0.05 was considered statistically significant.

Results

The mean age of the hemiplegics was 62.0 ± 11.3 years while that of controls was 65.8 ± 11.3 years, p = 0.115. There were 24 male and 21 female hemiplegics and the same gender proportion in controls.

Thirty-nine (86.7%) hemiplegics had ischemic stroke while 6 (13.3%) had hemorrhagic stroke. Twenty – six (57.8%) hemiplegics had right shoulder hemiplegia while 19 (42.2%) had left shoulder hemiplegia. AGTD and Shoulder ratio showed normal distribution but side-to-side AGTD difference was not normally distributed.

Variables	Hemiplegics (n = 45)	Controls (<i>n</i> = 45)	t	P value
Hemiplegic vs. Controls AGTD (cm)	2.8 ± 0.6	2.4 ± 0.4	3.381	0.001
Hemiplegic vs. Controls AGTD Difference (cm)	0.6 ± 0.6	0.2 ± 0.2	4.333	<0.001
Hemiplegic vs. Controls Shoulder ratio	1.3 ± 0.3	1.1 ± 0.1	3.992	<0.001

Tab. 1. Comparison of AGTD, AGTD difference, and Shoulder ratio of Hemiplegics and Controls

Variables	Ν	AGTD (cm) [Mean (SD)]	F	df	P value	
Hemiplegic side	45	2.8 ± 0.6				
Unaffected side	45	2.3 ± 0.4	9.368	3. 176	<0.001	
Right Shoulders of Controls	45	2.5 ± 0.5			<0.001	
Left Shoulders of Controls	45	2.4 ± 0.4				
Scheffe post-hoc analysis for intergroup differences						
Group					P value	
Hemiplegic vs. Unaffected side					<0.001	
Hemiplegic vs. Right Control					0.031	
Hemiplegic vs. Left control						
Unaffected side vs. Right Controls					0.216	
Unaffected side vs. Left Controls					0.561	
Right Control vs. Left Controls					0.925	

Tab. 2. Comparison of the AGTDs of Hemiplegic shoulders, Contralateral/Unaffected shoulders, and the bilateral shoulders of Controls

Variables	Shoulder s					
	Present (<i>n</i> = 20)	Absent (<i>n</i> = 25)	t	df	<i>P</i> value	
Hemiplegic AGTD (cm)	3.0 ± 0.8	2.3 ± 0.5	3.211	43	0.003	
AGTD difference (cm)	1.1 ± 0.8	0.4 ± 0.2	6.486	43	0.000*	
Shoulder ratio	1.4 ± 0.5	1.00 ± 0.0	3.991	43	0.000	
* Mann-Whitney U test applied						

Tab. 3. Comparison of AGTD, AGTD difference, and Shoulder ratio of hemiplegics and hemiplegics without subluxation

AGTD

The hemiplegic shoulders of the stroke patients had significantly greater (p = 0.001) mean AGTD than all the shoulders of controls (Tab. 1 and 2). Similarly, the hemiplegic shoulder AGTD of 2.8 ± 0.6 cm was significantly greater than the AGTD of the unaffected/contralateral side 2.3 ± 0.4 cm in the stroke patients (p < 0.001). Furthermore, hemiplegics with shoulder subluxation had statistically greater AGTD of 3.0 ± 0.8 than hemiplegics without subluxation (2.3 ± 0.5 cm); p = 0.003; (Tab. 3).

There was no statistically significant difference in the mean AGTD of the unaffected/contralateral shoulders of hemiplegics (2.3 \pm 0.4 cm), the right shoulders of controls

 $(2.5 \pm 0.5 \text{ cm})$ and the left shoulders of controls $(2.4 \pm 0.4 \text{ cm})$; p = 0.062; (Tab. 2). No statistically significant difference was detected between the mean AGTD of hemiplegics with poor motor status (2.6 $\pm 0.7 \text{ cm}$); p > 0.99. In addition, there were no statistically significant differences in the mean AGTD of the hemiplegic shoulders across the different power grades on the MRC scale. There were no statistically significant differences between the mean AGTD of ischemic stroke (2.6 $\pm 0.7 \text{ cm}$) and those with good motor status (2.6 $\pm 0.7 \text{ cm}$); p > 0.99. In addition, there were no statistically significant differences in the mean AGTD of the hemiplegic shoulders across the different power grades on the MRC scale. There were no statistically significant differences between the mean AGTD of ischemic stroke (2.6 $\pm 0.7 \text{ cm}$) and hemorrhagic

Variables

Male Controls

Male Controls

Female Controls

Male Hemiplegics

stroke $(2.3 \pm 0.8 \text{ cm})$, p = 0.335; as well as dominant shoulder hemiplegia $(2.6 \pm 0.7 \text{ cm})$ versus non-dominant shoulder hemiplegia (2.6 \pm 0.8 cm), p = 0.934.

Side-to-Side AGTD Difference

The mean side-to-side AGTD difference in the hemiplegics was significantly greater (p < 0.001) of controls (Tab. 1). Hemiplegics with su had statistically greater (p < 0.001) mean s de AGTD difference than those without sul (Tab. 3). No statistically significant differenc tected between the mean side-to-side AGTD ce of hemiplegics with poor motor status (and those with good motor status (0, p = 0.891. Furthermore, one-way ANOVA paring means showed no significant difference mean side-to-side AGTD difference values a different power grades of the MRC scale.

Shoulder Ratio

The hemiplegic shoulders also had significantly greater (p < 0.001) shoulder ratio than the control shoulders (Tab. 1). Furthermore, subluxed hemiplegic shoulders had significantly greater (p < 0.001) mean shoulder ratio than non-subluxed hemiplegic shoulders (Tab. 3). Further statistical analysis of differences in shoulder ratios among various subgroups is shown in Tab. 4. The mean shoulder ratio was $1.3 \pm$ 0.5 in hemiplegics with poor motor status and 1.1 \pm 0.4 in those with good motor status; (p = 0.281).

One-way ANOVA did not detect any statistically significant differences in the mean shoulder ratio across the different power grades of the MRC scale. Point biserial correlation showed that the presence of subluxation correlated moderately with higher shoulder ratios in all the hemiplegics ($\tilde{r}_{vb} = 0.520$; p < 0.001).

The Intraclass Correlation Coefficients (ICC values) for intrarater reliability were 0.78, 0.80, and 0.86 for the affected shoulders, unaffected shoulders, and the shoulders of controls, respectively. The standard error of measurement (SEM) for AGTD measurements was < 0.2 cm for all the three categories of shoulders.

Discussion

Inferior shoulder subluxation, which is also unknown as "drooping shoulder"^(14,15) is relatively common in post-stroke hemiplegic shoulders. Besides hemiplegia, other recognized causes of inferior subluxation include: fracture of the humeral surgical neck with axillary nerve damage, tumor (Pancoast tumor) infiltration of the brachial plexus, glenohumeral septic arthritis, shoulder replacement surgery, and hemarthrosis (secondary to hemophilia or trauma)^(14,15).

than that bluxation side-to-si- bluxation	Female Hemiplegics	1.4 ± 0.4	3.401	40	0.002	
	Female Controls	1.1 ± 0.1				
e was de- differen- (0.53 cm) .50 cm);	Tab. 4. Differences in Shoulder ratios of Hemiplegics and Controls by gender					
for com- rences in across the	None of these potentially confounding factors was present in our study population.					
		C 1 1 +	1 1 1	1	1	

Twenty (44.4%) of the hemiplegic shoulders were subluxed. This is higher than the 25.3% and 37% reported by Pop (in Poland)⁽¹⁶⁾ and Suethanapornkul et al.⁽¹⁷⁾ (in Thailand), respectively, but lower than the 58% reported by Kumar et al.(7) (in the United Kingdom). However, it lies well within the often quoted range of 17-81%⁽¹⁸⁾. These differences are likely due to the fact that inferior shoulder subluxation mainly affects acute hemiplegic shoulders⁽¹⁾, which suggests that research with a higher proportion of acute hemiplegic shoulders in its sample size is likely to record higher prevalence of subluxation and vice versa.

Shoulder ratio

[Mean (SD)]

 1.1 ± 0.1

 1.1 ± 0.1

 1.2 ± 0.2

 1.1 ± 0.1

t

-0.642

2.422

df

43

46

P value

0.524

0.019

The arm position significantly affects the measured value of AGTD⁽¹⁸⁾. A pillow-supported forearm position of Kumar *et al.*^(7,10) was adopted in this study over the gravity-dependent free-hanging position of Park et al.⁽⁶⁾ (which reportedly could further worsen soft tissue injuries in the hemiplegic shoulders). Our results show hemiplegic side mean AGTD value of 2.8 \pm 0.6 cm compared to 3.15 \pm 0.69 cm reported by Park et al.⁽⁶⁾ using the free hanging position. Kumar *et al.*^(7,10) reported hemiplegic side mean AGTD values of 2.2 \pm 0.6 cm⁽⁷⁾ and 2.3 \pm 0.6 cm¹⁰ in two separate studies. Our results and those of Kumar et al.^(7,10) are significantly lower than that of Park *et al.*⁽⁶⁾ This significant disparity may lend credence to the observation by Kumar *et al.*⁽¹⁰⁾ that the forearm supported position may be preferable for detecting inferior subluxation, especially in stroke patients.

Apart from arm position during measurement, AGTD is also reportedly reduced when there are proliferative changes within the greater tubercle or the acromion process and in shoulders with full thickness rotator cuff tear (FTRCT)⁽¹³⁾. However, no case of FTRCT was seen in our study population.

The mean shoulder ratios in the hemiplegic subjects and controls were 1.3 ± 0.3 and 1.1 ± 0.1 , respectively. Further analysis showed that hemiplegics with subluxation had shoulder ratio of 1.4 ± 0.5 while those without subluxation had mean shoulder ratio of 1.0 ± 0.0 . These results are lower than the shoulder ratio in hemiplegics of 1.45 ± 0.28 reported by Park *et al.*⁽⁶⁾ Since shoulder ratio is a derivative of AGTD, their higher shoulder ratio value could have been due to the fact that they used the free hanging arm position for AGTD measurement. Other researchers that were reviewed did not explore the value of shoulder ratio in their studies.

The point biserial correlation is a standardized measure of the strength of a relationship between two variables when one of the two variables is dichotomous. A point biserial correlation (r_{pb}) analysis between subluxation (dichotomous variable measured as present or absent) and shoulder ratio (metric continuous) showed a significant relationship between the two variables.

Suethenapornkul *et al.*⁽¹⁷⁾ reported that shoulder subluxation was significantly associated with hemorrhagic type of stroke. Such an association was not observed in our study. The reason for this disparity is not immediately evident.

Ultrasonography is a relatively established tool for assessing post-stroke hemiplegic shoulders⁽¹⁹⁾. Furthermore, it has important comparative advantages in evaluating shoulder subluxation^(6,7). These include possibility of serial measurement without exposure to ionizing radiation; the fact that it can be done at the bedside with a portable scanner, it can

References

- 1. Gould R, Barnes SS: Shoulder pain in hemiplegia. Available from: http://emedicine.medscape.com/article/328793-overview.
- Huang SW, Liu SY, Tang HW, Wei TS, Wang WT, Yang CP: Relationship between severity of shoulder subluxation and soft-tissue injury in hemiplegic stroke patients. J Rehabil Med 2012; 44: 733–739.
- 3. Paci M, Nannetti N, Rinaldi LA: Glenohumeral subluxation in hemiplegia: an overview. J Rehabil Res Dev 2005; 42: 557–568.
- 4. Moreels B, Walker W, Beckers J, Buxton S, O'Reilly N: Shoulder subluxation. Available from: http://www.physio-pedia.com/Shoulder_ subluxation.
- Kumar P, Kassam J, Denton C, Taylor E, Chatterley A: Risk factors for inferior shoulder subluxation in patients with stroke. Phys Ther Rev 2010; 15: 3–11.
- Park GY, Kim JM, Sohn SI, Shin IH, Lee MY: Ultrasonographic measurement of shoulder subluxation in patients with post-stroke hemiplegia. J Rehabil Med 2007; 39: 526–530.
- Kumar P, Mardon M, Bradley M, Gray S, Swinkels A: Assessment of glenohumeral subluxation in poststroke hemiplegia: Comparison between ultrasound and fingerbreadth palpation methods. Phys Ther 2014; 94: 1622–1631.
- 8. Kumar P, Bradley M, Swinkels A: Within-day and day-to-day intrarater reliability of ultrasonographic measurements of acromion-

The limitations of this study include a relatively small sample size (though the number used was obtained from calculation using the prevalence of stroke in our environment) and non-evaluation of anterior and posterior components of subluxation (though the inferior subluxation evaluated seems to be the commonest variant).

In conclusion, ultrasonographic AGTD measurement is a recommended tool for detecting inferior shoulder subluxation in post-stroke hemiplegic shoulders. Shoulder ratio may be a complementary tool to AGTD difference but this requires further evaluation and validation. Shoulder ultrasound would also be potentially of use in the follow-up of hemiplegic patients' response to treatment/rehabilitation of the dislocated shoulder.

Conflict of interest

The authors do not report any financial or personal connections with other persons or organizations, which might negatively affect the contents of this publication and/or claim authorship rights to this publication.

greater tuberosity distance in healthy people. Physiother Theory Pract 2010; 26: 347–351.

- 9. Kumar P, Chetwynd J, Evans A, Wardle G, Crick C, Richardson B: Interrater and intrarater reliability of ultrasonographic measurements of acromion-greater tuberosity distance in healthy people. Physiother Theory Pract 2011; 27: 172–175.
- Kumar P, Bradley M, Gray S, Swinkels A: Reliability and validity of ultrasonographic measurements of acromion-greater tuberosity distance in poststroke hemiplegia. Arch Phys Med Rehabil 2011; 92: 731–736.
- 11. Kumar P, Cruziah R, Bradley M, Gray S, Swinkels A: Intra-rater and inter-rater reliability of ultrasonographic measurements of acromion-greater tuberosity distance in patients with post-stroke hemiplegia. Top Stroke Rehabil 2016; 23: 147–153.
- 12. Duerr M: Reliability and accuracy of distance measurements between shoulder bony landmarks evaluated by ultrasound in asymptomatic subjects [Master of Philosophy Thesis]. Auckland University of Technology, Auckland, New Zealand 2010.
- Cholewinski JJ, Kusz DJ, Wojciechowski P, Cielinski LS, Zoladz MP: Ultrasound measurement of rotator cuff thickness and acromiohumeral distance in the diagnosis of subacromial impingement syndrome of the shoulder. Knee Surg Sports Traumatol Arthrosc 2008; 16: 408–414.

- Lev-Toaff AS, Karasick D, Rao VM: "Drooping shoulder" nontraumatic causes of glenohumeral subluxation. Skeletal Radiol 1984; 12: 34–36.
- Resnik CS: Septic arthritis: a rare cause of drooping shoulder. Skeletal Radiol 1992; 21: 307–309.
- Pop T: Subluxation of the shoulder joint in stroke patients and the influence of selected factors on the incidence of instability. Ortop Traumatol Rehabil 2013; 15: 259–267.
- 17. Suethanapornkul S, Kuptniratsaikul PS, Kuptniratsaikul V, Uthensut P, Dajpratha P, Wongwisethkarn J: Post stroke shoulder

subluxation and shoulder pain: a cohort multicenter study. J Med Assoc Thai 2008; 91: 1885–1892.

- Kumar P, Bourke C, Flanders J, Gorman T, Patel H: The effect of arm position on the ultrasonographic measurements of the acromion-greater tuberosity distance. Physiother Theory Pract 2014; 30: 171–177.
- Idowu BM, Ayoola OO, Adetiloye VA, Komolafe MA: Sonographic evaluation of structural changes in post-stroke hemiplegic shoulders. Pol J Radiol 2017; 82: 141–148.